



# LED Bollard Round Low Lumen 6 Series



## Description

The LITELUME™ Bollard Collection (LL-B) features an anti-corrosion, shock resistant heavy duty die-cast aluminum housing for long-lasting durability. Easy installation and maintenance due to our self-oriented top cover design. A LED bulb is utilized to produce a package to allow for low lumen applications. Introducing the Round Low Lumen 6 Series.

Applications: Security, Pathway, Perimeter, Pedestrian and Walkway lighting.

## Fixture Information

Size:	12W
Housing:	Die-cast Aluminum Housing
Finish:	Protective powdercoat
Color:	Standard: Bronze, Black Custom Options: White (WH) and Gray (GY)
Power Factor:	.95
CRI:	80
Voltage:	Standard: 120-277V
Sensor:	Standard: No sensor
Warranty:	5-Year Limited Warranty

## Performance Data

### Lumen Output:

785 to 825 lm

### Lumens Per Watt (typical):

65 to 68 lm/W

### CCT:

3000K  
4000K  
5000K

### Distribution:

T5 120D

### Lifespan:

25,000 hours

## Ratings & Certificates

ETL Listed for Wet Location  
IP65 Listed





Intertek




## Dimensions

Item	Diameter	Length
Round Top	6.00"	32.00"
Flat Top	6.00"	31.50"



## Photometric Data





<b>Project Name</b>	
<b>Catalog #</b>	
<b>Job Type</b>	
<b>Prepared By</b>	
<b>Notes</b>	

### Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Type Distribution
LL-BRLDTLL6-12-50-UNV-BZ	12	825	5000K	120-277	T5 120D
LL-BRLDTLL6-12-40-UNV-BZ	12	810	4000K	120-277	T5 120D
LL-BRLDTLL6-12-30-UNV-BZ	12	785	3000K	120-277	T5 120D
LL-BRLDTLL6-12-50-UNV-BK	12	825	5000K	120-277	T5 120D
LL-BRLDTLL6-12-40-UNV-BK	12	810	4000K	120-277	T5 120D
LL-BRLDTLL6-12-30-UNV-BK	12	785	3000K	120-277	T5 120D
LL-BRLFLL6-12-50-UNV-BZ	12	825	5000K	120-277	T5 120D
LL-BRLFLL6-12-40-UNV-BZ	12	810	4000K	120-277	T5 120D
LL-BRLFLL6-12-30-UNV-BZ	12	785	3000K	120-277	T5 120D
LL-BRLFLL6-12-50-UNV-BK	12	825	5000K	120-277	T5 120D
LL-BRLFLL6-12-40-UNV-BK	12	810	4000K	120-277	T5 120D
LL-BRLFLL6-12-30-UNV-BK	12	785	3000K	120-277	T5 120D

\* Please contact LITELUME for all Custom Option Requests

### Accessories Ordering Information

Part #	Wattage
EM7	Emergency Battery Back Up 7W
SUB "UNV" WITH "480"	480 Volt

\* Please contact LITELUME for all Custom Option Requests

### Buy American Act Compliant Ordering Information

Part #	Description
BAA-B	Buy American Act Compliant for Bollard

\* Please contact LITELUME for all Custom Option Requests