



Dusk to Dawn High Power



Description

The LITELUME™ Dusk to Dawn High Power (LL-DDHP) is a multi-purpose luminaire delivering ultra efficient lighting. Featuring an easy maintenance door for tool-less entry, light weight design, and 3G vibration rated construction.

Applications: Roadways, Yards, Loading Docks, Multi-family, Community and general site illumination.

Fixture Information

Size:	45W/65W/90W
Housing:	Die-cast Aluminum Housing
Finish:	Protective powdercoat
Color:	Standard: Grey Custom Options: Black (BK) White (WH) Bronze (BZ)
Mounting:	Standard: Wall Mount
Lens:	Polycarbonate
Voltage:	Standard: 120-277V
Sensor:	Sensor: Standard: No sensor Standard: Twistlock Photocell (120-277V)
Power Factor:	.95
CRI:	80
Total Harmonic Distortion:	≤20%
Operating Temperature Range:	-40°C to + 45°C (-40°F to +113°F)
Warranty:	10-Year Limited Warranty

Performance Data

Lumen Output:

6,150 to 12,200 lm

Lumens Per Watt (typical):

133 to 138 lm/W

CCT:

4000K
5000K

Distribution

T5

Lifespan:

Features Philip Lumileds with up to 100,000 running hours

Ratings & Certificates

UL Listed For Wet Location
IP66 rated




QuickShip Ordering Information

Part #
LL-DDHP-45-50-UNV-GY-TLPC
LL-DDHP-45-50-UNV-BZ-TLPC
LL-DDHP-65-50-UNV-GY-TLPC
LL-DDHP-65-50-UNV-BZ-TLPC
LL-DDHP-90-50-UNV-GY-TLPC
LL-DDHP-90-50-UNV-BZ-TLPC




Dimension

Item	Width	Length	Height	Weight
45W	7.9"	14.2"	7.6"	4.54 lb
65W	7.9"	14.2"	7.6"	4.80 lb
90W	7.9"	14.2"	7.6"	5.03 lb



Photometrics





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Distribution
LL-DDHP-45-50-UNV-GY-TLPC	45	6200	5000	120-277	T5
LL-DDHP-45-40-UNV-GY-TLPC	45	6150	4000	120-277	T5
LL-DDHP-45-50-UNV-BZ-TLPC	45	6200	5000	120-277	T5
LL-DDHP-45-40-UNV-BZ-TLPC	45	6150	4000	120-277	T5
LL-DDHP-65-50-UNV-GY-TLPC	65	8800	5000	120-277	T5
LL-DDHP-65-40-UNV-GY-TLPC	65	8650	4000	120-277	T5
LL-DDHP-65-50-UNV-BZ-TLPC	65	8800	5000	120-277	T5
LL-DDHP-65-40-UNV-BZ-TLPC	65	8650	4000	120-277	T5
LL-DDHP-90-50-UNV-GY-TLPC	90	12200	5000	120-277	T5
LL-DDHP-90-40-UNV-GY-TLPC	90	12000	4000	120-277	T5
LL-DDHP-90-50-UNV-BZ-TLPC	90	12200	5000	120-277	T5
LL-DDHP-90-40-UNV-BZ-TLPC	90	12000	4000	120-277	T5

* Please contact LITELUME for all Custom Option Requests

QuickShip Ordering Information

Part #
LL-DDHP-45-50-UNV-GY-TLPC
LL-DDHP-45-50-UNV-BZ-TLPC
LL-DDHP-65-50-UNV-GY-TLPC
LL-DDHP-65-50-UNV-BZ-TLPC
LL-DDHP-90-50-UNV-GY-TLPC
LL-DDHP-90-50-UNV-BZ-TLPC

Buy American Act Compliant Ordering Information

Part #	Description
BAA-DDHP	Buy American Act Compliant for Dusk to Dawn High Power

* Please contact LITELUME for all Custom Option Requests