



# Linear Half Round Architectural Dual-Perforated



## Description

The LITELUME Linear Half Round Architectural Dual-Perforated (LL-LHRA-DP) brings style and performance together with a direct/indirect light distribution to commercial and retail lighting interiors. Incorporating a dual perforated design that creates soft and diffused lighting ensuring maximum visual comfort and balance. It can be installed individually or in continuous rows.

An Excellent choice for grocery, library, hotels, offices, restaurants, retail and more.

## Fixture Information

Size:	40W/50W
Housing:	Aluminum
Finish:	5 stage bonding, high reflectance baked enamel finish
Color:	Standard: White, Black
Mounting:	Suspended Mount
Temperature:	-22° F to 104° F
Voltage:	Standard: 120-277V Custom Option: 347-480V
Dimming:	Standard: No Optional: 0-10v or Triac
Power Factor:	.95
CRI:	82
Warranty:	5-Year Limited Warranty

## Performance Data

### Lumen Output:

4,000 to 5,000 lm

### Lumens Per Watt (typical):

100 lm/W

### CCT:

3000K

3500K

4000K

5000K

### Lifespan:

Up to 100,000 running hours

### Ratings & Certificates


UL Listed






### Dimension


Item	Height	Width	Length
40W/50W	2.75"	11"	49.25"




### Installation Dimensions



### Product Profile



### Suspended Mounting



### Suspended Mount Kit





<b>Project Name</b>	
<b>Catalog #</b>	
<b>Job Type</b>	
<b>Prepared By</b>	
<b>Notes</b>	

## Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage
LL-LHRA-DP-40-50-UNV	40	4000	5000	120-277
LL-LHRA-DP-40-40-UNV	40	4000	4000	120-277
LL-LHRA-DP-40-35-UNV	40	4000	3500	120-277
LL-LHRA-DP-40-30-UNV	40	4000	3000	120-277
LL-LHRA-DP-50-50-UNV	50	5000	5000	120-277
LL-LHRA-DP-50-40-UNV	50	5000	4000	120-277
LL-LHRA-DP-50-35-UNV	50	5000	3500	120-277
LL-LHRA-DP-50-30-UNV	50	5000	3000	120-277

## Accessories Ordering Information

Part #	Description
80/20	80% Up Light / 20% Down Light
70/30	70% Up Light / 30% Down Light
DIM	0-10V Dimming
DIMTRIAC	Triac Dimming
WH	White
BK	Black
CORD6WH183	6' So Cord, White, 300V, 18 Gauge, 3 Conductor
CORD6WH185	6' So Cord, White, 300V, 18 Gauge, 5 Conductor
CORD6BK183	6' So Cord, Black, 300V, 18 Gauge, 3 Conductor
CORD6BK185	6' So Cord, Black, 300V, 18 Gauge, 5 Conductor
AC6CK-WH	Air Craft Cable And Canopy Kit, White, 6'
AC6CK-BK	Air Craft Cable And Canopy Kit, Black, 6'
CONN	Connector Kits

\* Please contact LITELUME for all Custom Option Requests