




Sconce Block Mood



Description

The LITELUME™ Sconce Block Mood (LL-SBM) luminaire incorporates a simple fresh small form factor design. Features a die-formed cold rolled steel housing in black, with availability to special order in satin nickel, oil rubbed bronze or custom colors with a crystal glass lens. Offering a standard 10w model in 3000k or 4000k, high power factor and low THD.

Applications: commercial, residential, hospitality and entertainment.

Fixture Information

Size:	10W
Housing:	Die-formed cold rolled steel
Finish:	Protective powder coat
Color:	Standard: Black (BK) Optional Special Order: Satin Nickel (SN) Optional Special Order: Oil Rubbed Bronze (ORB) Optional Special Order: Custom (CUS)
Mounting:	Standard: Wall Mount
Lens:	High Transmission Glass
CRI:	80
Power Factor:	.90
Voltage:	Standard: 120-277V
Warranty:	10-Year Limited Warranty

Performance Data

Lumen Output:

650 lm

Lumens Per Watt (typical):

65 lm/W

CCT:

3000K

4000K

Ratings & Certificates


ETL/cETL Listed
Damp Location Listed
ADA Compliant





Dimension

Item	Width	Depth	Height
10W	5.0"	3.9"	5.0"





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Color
LL-SBM-10-30-UNV-BK	10	650	3000	120-277	Black

* Please contact LITELUME for all Custom Option Requests

Special Order

Part #	Wattage	Lumens	Kelvin	Voltage	Color
LL-SBM-10-30-UNV-SN	10	650	3000	120-277	Satin Nickel
LL-SBM-10-30-UNV-ORB	10	650	3000	120-277	Oil Rubbed Bronze
LL-SBM-10-30-UNV-CUS	10	650	3000	120-277	Custom

* Please contact LITELUME for all Custom Option Requests