




# Brackets, Tenons, Spoke Arms and Bullhorns

Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	


## Features

<b>Accessories:</b>	Pole Tenons, Spoke Arms and Brackets are standard for 2 3/8 post top or knuckles. For other sizes please specify. Available for all poles.
<b>Finish:</b>	TGIC Thermoset polyester powder coat finish is electrostatically applied at a 3.0 mil nominal thickness. A five stage metal pretreatment process and sealer provide maximum corrosion resistance. The powder top coat is baked in excess of 400°F for supreme endurance.


## Top Fitter 90 Adaptor

	<p><b>LL-TF90</b> Fits over 2.375 O.D. x 4" Tenon (Drilled as required) <u>Provided:</u> -Set screws to secure fitter to pole tenon. -Thru bolt to prevent windmilling.</p>
--	---


## Removable Top Tenon Square

	<p><b>LL-RTS4</b> Fits 4" square pole <b>LL-RTS5</b> Fits 5" square pole <b>LL-RTS6</b> Fits 6" square pole <u>Provided:</u> -Set screws to secure removable tenon to pole. -2.375 O.D. x 4" Tenon</p>
--	--

## Removable Top Tenon Round

	<p><b>LL-RTR4</b> Fits 4" round pole <b>LL-RTR5</b> Fits 5" round pole <b>LL-RTR6</b> Fits 6" round pole <u>Provided:</u> -Set screws to secure removable tenon to pole. -2.375 O.D. x 4" Tenon</p>
---	---

## Wall Mount Bracket


<b>LL-WMB90</b>



### Spoke Arms

Spoke arms assemblies mount over 2.375 O.D. Tenon

Provided:

-2.375 x 4" Arms

-Set screws to secure spoke arm assembly to pole tenon.

LL-SA1	LL-SA2-180	LL-SA2-90	LL-SA3-90	LL-SA3-120	LL-SA4-90

### Square Steel Tenon Arms

LL-SSTA-490-4-DBZ	LL-SSTA-2180-4-DBZ	LL-SSTA-3180-4-DBZ

LL-SSTA-4180-4-DBZ



### Bullhorns

LL-RSTA-2180-238-DBZ	LL-RSTA-3180-238-DBZ	LL-RSTA-3120-238-DBZ	LL-RSTA-4180-238-DBZ	LL-RSTA-490-238-DBZ