



Wall Pack Half Round



Description

The Wall Pack Half Round (LL-WPHR) provides 40w of down light. Featuring high performance LEDs and a long lasting driver, this fixture provides effective lighting all around. It can be used around retail malls, restaurants, dealerships, shopping centers, and hospitality.

Fixture Information

Size:	15W/30W/50W/72W
Housing:	Die cast aluminum body
Lens:	Glass
Finish:	UV Stabilized Powder coated finish
Color:	Standard: Bronze Custom options available
CRI:	70+
THD:	<20%
Power Factor:	.90
Voltage:	Standard: 120-277V
Warranty:	5 Year Warranty

Performance Data

Lumen Output:

3811 to 8621 lm

Lumens Per Watt (typical):

120 to 131 lm/W

CCT:

3000K

4000K

5000K

Ratings & Certificates


UL & cUL Listed






Dimensions

Item	Width	Height	Length
15W/30W/50W/72W	9.25"	7.1"	18.1"



Photometrics





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Finish
LL-WPHR-[15][30][50][72]-50-UNV-BZ	15/30/50/72	3811-8621	5000K	120-277	Bronze
LL-WPHR-[15][30][50][72]-40-UNV-BZ	15/30/50/72	3811-8621	4000K	120-277	Bronze
LL-WPHR-[15][30][50][72]-30-UNV-BZ	15/30/50/72	3811-8621	3000K	120-277	Bronze

* Please contact LITELUME for all Custom Option Requests

Accessories Ordering Information

Part #	Description
PC	Button Photocell, 120-277V
OC	Occupancy Sensor
EM	Emergency Driver
SS	10KV Surge