



LL-CAL-14

Custom Address Light Style 14

The LITELUME™ Custom Address Light Style 14 (LL-CAL-14) is a high performance LED solution with a small compact design. Each luminaire is customizable to select color finish and desired room number for hotels, apartments, condominiums, homes and offices.



PERFORMANCE DATA

Lumen Output	1120 lm
Lumens Per Watt (typical)	80 lm/W
CCT	3000K 4000K
Distribution	Up/Down
Lifespan	50,000 hrs

Ratings & Certificates

- ETL/cETL Listed
- Damp Location
- ADA Compliant

APPLICATIONS

Hotels • Apartments • Condominiums
Townhomes • General Homes

Hospitality, Multi-Family & Residential
Applications

FIXTURE INFORMATION

Size	Housing	Finish	Lens	Mounting	Lettering	Color
14W	Die-formed aluminum	Protective powder coat	Metal	Standard: Wall Mount	Standard: Laser Engraved Optional: Braille	<ul style="list-style-type: none"> • Satin Nickel (SN) • Oil rubbed bronze (ORB) • Black (BK) • White (WH) • Gray (GY) • Custom (CUS)
Voltage	Dimming	Power Factor	CRI	Warranty	Dimensions	
Standard: 120-277V	No	.90	80	10 Year Limited	9.8" x 4.5" x 4.0"	



Custom Address Light Style 14

PROJECT NAME	
CATALOG #	
ROOM # SEQUENCE	
EXCLUDED ROOM #	
JOB TYPE	
PREPARED BY	
NOTES	

ORDERING GUIDE

Brand	Fixture Type		Model	Number Style	Lumen Package
LL LITELUME	CAL Custom Address Light		14 Style 14	LE Laser Engraved	1L 1120 Lumens
Voltage	CCT	Distribution	Finish		Accessories
UNV 120-277V	30 3000K 40 4000K	UD Uplight/Downlight Combo	SN Satin Nickel ORB Oil Rubbed Bronze BK Black	WH White GY Gray CUS Custom	CRI90 90CRI B Braille

FIXTURE ORDERING INFORMATION

Part #	Watts	Lumens	Kelvin	Voltage
LL-CAL-14-LE-1L-UNV-30-UD-SN	14	1120	3000	120-277V
LL-CAL-14-LE-1L-UNV-40-UD-SN	14	1120	4000	120-277V
LL-CAL-14-LE-1L-UNV-30-UD-ORB	14	1120	3000	120-277V
LL-CAL-14-LE-1L-UNV-40-UD-ORB	14	1120	4000	120-277V
LL-CAL-14-LE-1L-UNV-30-UD-BK	14	1120	3000	120-277V



Custom Address Light Style 14

LL-CAL-14-LE-1L-UNV-40-UD-BK	14	1120	4000	120-277V
LL-CAL-14-LE-1L-UNV-30-UD-WH	14	1120	3000	120-277V
LL-CAL-14-LE-1L-UNV-40-UD-WH	14	1120	4000	120-277V
LL-CAL-14-LE-1L-UNV-30-UD-GY	14	1120	3000	120-277V
LL-CAL-14-LE-1L-UNV-40-UD-GY	14	1120	4000	120-277V
LL-CAL-14-LE-1L-UNV-30-UD-CUS	14	1120	3000	120-277V
LL-CAL-14-LE-1L-UNV-40-UD-CUS	14	1120	4000	120-277V

ACCESSORIES ORDERING INFORMATION

Part #	Description
CRI90	90 CRI
B	Braille