







Description

Color:

The LITELUME™ Pendant Series A (LL-PSA) features a die-formed cold rolled steel housing in satin nickel or oil rubbed bronze with an opal glass shade for an elegant soft appearance.

Applications: Dining, Vanity lighting

Fixture Information

Size: 9W

Lamp: Includes 9w Energy Star LED Bulb
Housing: Die-formed cold rolled steel
Finish: Protective powdercoat

Standard: Satin Nickel (SN)

Optional: Oil Rubbed Bronze (ORB)

Mounting: Standard: Ceiling
Lens: Opal Glass

 CRI:
 80

 Power Factor:
 .98

 Dimming:
 None

 THD:
 <10%</td>

 Voltage:
 120V

Warranty: 10-Year Limited Warranty

Performance Data

Lumen Output:

800 lm

Lumens Per Watt (typical):

85 lm/W

CCT: 3000K 4000K

Lifespan:

50,000 running hours

Ratings & Certificates


UL/cUL Listed





Dimension

Item	H1	H2	W
9W	6′	8.5"	3.5"





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage
LL-PSA-9-40-120-SN	9	800	4000	120
LL-PSA-9-40-120-ORB	9	800	4000	120
LL-PSA-9-30-120-SN	9	800	3000	120
LL-PSA-9-30-120-ORB	9	800	3000	120

^{*} Please contact LITELUME for all Custom Option Requests