



LL-CAL-12

Custom Address Light Style 12

The LITELUME™ Custom Address Light Style 12 (LL-CAL-12) is a high performance LED solution with a small compact design. Each luminaire is customizable to select color finish and desired room number for hotels, apartments, condominiums, homes and offices.



PERFORMANCE DATA

Lumen Output	80 lm	Ratings & Certificates <ul style="list-style-type: none"> • ETL/cETL Listed • Damp Location • ADA Compliant
Lumens Per Watt (typical)	8 lm/W	
CCT	3000K 4000K	
Lifespan	50,000 hrs	

APPLICATIONS

Hotels • Apartments • Condominiums
Townhomes • General Homes

Hospitality, Multi-Family & Residential Applications

FIXTURE INFORMATION

Size	Housing	Finish	Lens	Mounting	Lettering	Color
10W	Die-formed cold-rolled steel	Protective powder coat	Clear acrylic with texture	Standard: Wall Mount	Standard: Laser Engraved Optional: Braille	<ul style="list-style-type: none"> • Light Gold & Black (LGB) • Satin Nickel (SN) • Oil rubbed bronze (ORB) • Black (BK) • White (WH) • Gray (GY) • Custom (CUS)
Voltage	Dimming	Power Factor	CRI	Warranty	Dimensions	
Standard: 120V	No	.90	80	10 Year Limited	15.5" x 7.0" x 1.8"	



Custom Address Light Style 12

PROJECT NAME	
CATALOG #	
ROOM # SEQUENCE	
EXCLUDED ROOM #	
JOB TYPE	
PREPARED BY	
NOTES	

ORDERING GUIDE

Brand	Fixture Type	Model	Number Style	Lumen Package
LL LITELUME	CAL Custom Address Light	12 Style 12	LE Laser Engraved	05L 80 Lumens
Voltage	CCT	Finish		Accessories
120 120V	30 3000K 40 4000K	LGB Light Gold & Black SN Satin Nickel ORB Oil Rubbed Bronze BK Black	WH White GY Gray CUS Custom	CRI90 90CRI B Braille

FIXTURE ORDERING INFORMATION

Part #	Watts	Lumens	Kelvin	Voltage
LL-CAL-12-LE-05L-120-30-LGB	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-LGB	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-SN	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-SN	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-ORB	10	80	3000	120V



Custom Address Light Style 12

LL-CAL-12-LE-05L-120-40-ORB	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-BK	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-BK	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-WH	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-WH	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-GY	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-GY	10	80	4000	120V
LL-CAL-12-LE-05L-120-30-CUS	10	80	3000	120V
LL-CAL-12-LE-05L-120-40-CUS	10	80	4000	120V

ACCESSORIES ORDERING INFORMATION

Part #	Description
CRI90	90 CRI
B	Braille