



# Vanity Modern Trimmed



## Description

The LITELUME™ Vanity Modern Trimmed (LL-VMT) features a die-formed cold rolled steel housing in satin nickel or oil rubbed bronze with a high transmission acrylic shade for an elegant soft appearance.

Applications: Hallways, Vanity lighting

## Fixture Information

Size:	18W/25W
Housing:	Die-formed cold rolled steel
Finish:	Protective powder coat
Color:	Standard: Satin Nickel (SN) Optional: Oil Rubbed Bronze (ORB)
Mounting:	Standard: Wall Mount
Lens:	High transmission acrylic
CRI:	90
Power Factor:	.98
THD:	<10%
Dimming:	120V Triac Dimming Type (Min. Dimming Level 3%)
Voltage:	Standard: 120V
Warranty:	10-Year Limited Warranty

## Performance Data

### Lumen Output:

1327 to 2000 lm

### Lumens Per Watt (typical):

70 to 80 lm/W

### CCT:

3000K

3500K

4000K

### Lifespan:

60,000 hrs

## Ratings & Certificates


ETL/cETL Listed  
CEC Listed, Meets Title24 JA8 Requirements  
Meets JA10 Standard





## Dimension

Item	Depth	Width	Height
18W/25W	4.8"	37.5"	4.5"





<b>Project Name</b>	
<b>Catalog #</b>	
<b>Job Type</b>	
<b>Prepared By</b>	
<b>Notes</b>	

### Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Color
LL-VMT-18-30-120-SN	18	1327	3000	120V	Satin Nickel
LL-VMT-25-30-120-SN	25	2000	3000	120V	Satin Nickel
LL-VMT-25-35-120-SN	25	2000	3500	120V	Satin Nickel
LL-VMT-25-40-120-SN	25	2000	4000	120V	Satin Nickel
LL-VMT-18-30-120-ORB	18	1327	3000	120V	Oil Rubbed Bronze
LL-VMT-25-30-120-ORB	25	2000	3000	120V	Oil Rubbed Bronze
LL-VMT-25-35-120-ORB	25	2000	3500	120V	Oil Rubbed Bronze
LL-VMT-25-40-120-ORB	25	2000	4000	120V	Oil Rubbed Bronze