

Wall Pack Half Round Up/Down





Description

The Wall Pack Half Round Up/Down (LL-WPHRUD) is elegant as it is functional. Providing 40W of total light up and down. Featuring high performance LEDs and a long lasting driver, this fixture provides effective lighting all around. It can be used around retail malls,

restaurants, dealerships, shopping centers, and hospitality.

Fixture Information

Size:	40W
Distribution:	33% Uplight / 66% Downlight
Housing:	Die cast aluminum body
Lens	Glass
Finish:	UV Stabilized Powder coated finish
Color:	Standard: Bronze Custom options available
CRI:	70+
THD:	<20%
Power Factor:	.90
Voltage:	Standard: 120-277V
Warranty:	10 Year Warranty

Performance Data

Lumen Output:

6056 lm

Lumens Per Watt (typical):

151 lm/W

CCT: 3000K

4000K 5000K

Ratings & Certificates

UL & cUL Listed



LITELUME[°] ©Lite Lume Corporation 2018 www.litelume.com info@litelume.com 833.LED.LUME


n Page 1/3 n Rev Date: 11/10/2023

LITELUME™ seeks to deliver the most advanced and efficient LED technology. Due to technology progression, specifications may change. We reserve the right to update product specifications without notice. Contact LITELUME™ for the most up-to-date data.




Dimensions

ltem	Depth	Height	Width	
40W	9.25″	7.1″	18.1″	



Photometrics



Page 2/3



Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Finish
LL-WPHRUD-40-50-UNV-BZ	40	6056	5000K	120-277	Bronze
LL-WPHRUD-40-40-UNV-BZ	40	6056	4000K	120-277	Bronze
LL-WPHRUD-40-30-UNV-BZ	40	6056	3000K	120-277	Bronze

Accessories Ordering Information

Part #	Description
PC	Button Photocell, 120-277V
OC	Occupancy Sensor
EM	Emergency Driver
SS	10KV Surge

Page 3/3