



Ceiling Now Premium



Description

The LITELUME™ Ceiling Now Premium (LL-CNP) Features a die-formed cold rolled steel housing in satin nickel or oil rubbed bronze with a high transmission acrylic lens for a soft appearance. Available in 3000k, 5 CCT selectable, JA8, high power factor and low THD.

Applications: commercial, residential, hospitality and entertainment.

Fixture Information

Size:	11W, 17W, 18W, 22W, 24W, 26W, 30W, 35W
Housing:	Die-formed cold rolled steel
Finish:	Protective powder coat
Color:	Standard: Satin Nickel (SN) Standard: Oil Rubbed Bronze (ORB)
Mounting:	Standard: Ceiling Mount
Lens:	High Transmission Acrylic
CRI:	80
THD:	<10%
Dimming:	Standard: 120V Triac (120only) Standard: 0-10v Dimming level minimum 3% flicker free (120-277v only)
Power Factor:	.90
Voltage:	Standard: 120V, 120-277V
Warranty:	10-Year Limited Warranty

Performance Data

Lumen Output:

850 to 3000 lm

Lumens Per Watt (typical):

77 to 85 lm/W

CCT:

3000K

5CCT Selectable

Lifespan

Long-life LEDs provide 139,000 hours of operation with at least 70% of initial lumen output (L70)

Ratings & Certificates

ETL/cETL Listed

Damp Location Listed


CEC Listed, Meets Title24 JA8 Requirements





Dimension

Item	Diameter (a)	Height (b)
11W	10.4"	4.2"
17W	11.81"	3.54"
18W	11.8"	4.2"
22W	13.78"	3.54"
24W	14.5"	4.6"
26W	15.75"	3.54"
30W	16.0"	4.9"
35W	17.8"	4.9"





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Color
LL-CNP-11-30-120-SN	11	850	3000	120	Satin Nickel
LL-CNP-11-30-120-ORB	11	850	3000	120	Oil Rubbed Bronze
LL-CNP-18-30-120-SN	18	1200	3000	120	Satin Nickel
LL-CNP-18-30-120-ORB	18	1200	3000	120	Oil Rubbed Bronze
LL-CNP-24-30-UNV-SN	24	2000	3000	120-277	Satin Nickel
LL-CNP-24-30-UNV-ORB	24	2000	3000	120-277	Oil Rubbed Bronze
LL-CNP-30-30-UNV-SN	30	2300	3000	120-277	Satin Nickel
LL-CNP-30-30-UNV-ORB	30	2300	3000	120-277	Oil Rubbed Bronze
LL-CNP-35-30-UNV-SN	35	3364	3000	120-277	Satin Nickel
LL-CNP-35-30-UNV-ORB	35	3364	3000	120-277	Oil Rubbed Bronze
LL-CNP-17-5CCT-120-SN	17	1200	5 CCT	120	Satin Nickel
LL-CNP-22-5CCT-120-SN	22	1800	5 CCT	120	Satin Nickel
LL-CNP-26-5CCT-120-SN	26	2000	5 CCT	120	Satin Nickel

