



Wall Pack Football Quarter Sphere



LL-WPFQS

Wall Pack Football Quarter Sphere

The LITELUME™ Wallpack Football Quarter Sphere (LL-WPFQS) is a mid-sized, aesthetically appealing Dark Sky LED fixture featuring medium wide 80 degree distribution.



PERFORMANCE DATA

| | |
|---------------------------|--|
| Lumen Output | 6330 - 9446 lm |
| Lumens Per Watt (typical) | 140 lm/W |
| CCT | 4000K 5000K |
| Lifespan | Features Ultra Efficient Driver with up to 100,000 running hours |

RATINGS & CERTIFICATES

Dark Sky • IP65 Rated
UL Listed • Wet Location

APPLICATIONS

Entryways • Tunnels • Walkways • Exterior Wall Lighting • Multi-use Facilities • Industrial Facilities • Parking Lots • Storage Facilities
Education • Multi-Family • Retail • Office


FIXTURE INFORMATION

| Size | Housing | Finish | Lens | | | Mounting | Controls |
|-------------------|--------------------|------------------------|---------------|------|-----|----------------|---------------------|
| 45W - 70W | Die-Cast Aluminum | Protective Powder Coat | Polycarbonate | | | Wall Mount | Standard: Photocell |
| Voltage | Dimming | Beam Angle | PF | THD | CRI | Operating Temp | Warranty |
| 120 - 277V UNV | Standard: 0-10V | 80° | .95 | <20% | 80 | -22°F ~ 113°F | 10 Year Limited |




Wall Pack Football Quarter Sphere

DIMENSIONS



| Model | Net Weight | Box Dimension |
|--------------------------|------------|------------------------|
| LL-WPFQS-6L-UNV-50-BZ-PC | 7.7 lbs | 14.96" x 7.68" x 7.87" |
| LL-WPFQS-9L-UNV-50-BZ-PC | 8 lbs | 14.96" x 7.68" x 7.87" |

PHOTOCELL (STANDARD)




Photocell is Standard




Wall Pack Football Quarter Sphere

PHOTOMETRICS (LL-WPFQS-6L-UNV-50-BZ-PC)


Luminous Intensity Distribution Diagram



C0 Plane Isolux Diagram (unit:lx)




Isolux Diagram




PHOTOMETRICS (LL-WPFQS-9L-UNV-50-BZ-PC)


Luminous Intensity Distribution Diagram



C0 Plane Isolux Diagram (unit:lx)



Isolux Diagram





Wall Pack Football Quarter Sphere

| | |
|--------------|--|
| PROJECT NAME | |
| CATALOG # | |
| JOB TYPE | |
| PREPARED BY | |
| NOTES | |

ORDERING GUIDE

| Brand | | Fixture Type | Lumen Package | Voltage |
|----------------------|---|---|--|--------------|
| LL LITELUME | | WPFQS Wall Pack Football Quarter Sphere | 6L 6330 Lumens 9L 9446 Lumens | UNV 120-277V |
| CCT | Finish | Photocell | Accessories | |
| 50 5000K 40 4000K | BZ Bronze WH White BK Black CUS Custom | PC Photocell | EM8 Emergency Battery Back Up 8W EM15 Emergency Battery Backup 15W EM20 Emergency Battery Backup 20W EMC8 Emergency Battery Back Up Cold Weather 8W -4 °F To 140°F EMC15 Emergency Battery Backup Cold Weather 15W -4 °F To 140°F EMC20 Emergency Battery Backup Cold Weather 20W -4 °F To 140°F | |

FIXTURE ORDERING INFORMATION

| Part # | Watts | Lumens | Kelvin | Voltage |
|--------------------------|-------|--------|--------|---------|
| LL-WPFQS-6L-UNV-50-BZ-PC | 45 | 6330 | 5000 | 120-277 |
| LL-WPFQS-6L-UNV-40-BZ-PC | 45 | 6330 | 4000 | 120-277 |
| LL-WPFQS-9L-UNV-50-BZ-PC | 70 | 9446 | 5000 | 120-277 |
| LL-WPFQS-9L-UNV-40-BZ-PC | 70 | 9446 | 4000 | 120-277 |



ACCESSORIES ORDERING INFORMATION

| Part # | Description |
|--------|--|
| EM8 | Emergency Battery Back Up 8W |
| EM15 | Emergency Battery Backup 15W |
| EM20 | Emergency Battery Backup 20W |
| EMC8 | Emergency Battery Back Up Cold Weather 8W -4 °F To 140°F |
| EMC15 | Emergency Battery Backup Cold Weather 15W -4 °F To 140°F |
| EMC20 | Emergency Battery Backup Cold Weather 20W -4 °F To 140°F |