







# **Description**

The LITELUME™ Vanity Elite Premium (LL–VEP) features a die-formed cold rolled steel housing in satin nickel or oil rubbed bronze with a high transmission acrylic shade for an elegant soft appearance.

Applications: Hallways, Vanity lighting

## **Fixture Information**

Size: 24W

Housing: Die-formed cold rolled steel Finish: Protective powder coat

Color: Standard: Satin Nickel (SN)

Standard: Oil Rubbed Bronze (ORB)

Mounting: Standard: Wall Mount
Lens: High transmission acrylic

CRI: 90

Dimming: Yes, 0-10v Dimming level minimum

3%, flicker free

Power Factor: .98
THD: <10%

Voltage: Standard: 120-277V
Warranty: 10-Year Limited Warranty

# **Performance Data**

# **Lumen Output:**

1980 lm

#### Lumens Per Watt (typical):

82.5 lm/W

**CCT:** 3000K

**Lifespan:** 60,000 hrs

## **Ratings & Certificates**

ETL/cETL Listed
Energy Star
CEC Listed
JA8
JA10
Flicker Free








# **Dimension**

Item	Width	Height	Length
24W	5.70"	4.50"	24.50"





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

# **Fixture Ordering Information**

Part #	Wattage	Lumens	Kelvin	Voltage	Color	
LL-VEP-24-30-UNV-ORB	24	1980	3000	120-277	Oil Rubbed Bronze	
LL-VEP-24-30-UNV-SN	24	1980	3000	120-277	Satin Nickel	