



Contractor Select Low Profile Tenon Arms




Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Features

Finish:	Polyester powder coat, hot dip galvanized
Color:	Bronze, Black, White


LL-CS-LPSSTA-2180-238-BZ

Contractor Select Low Profile Square Steel Tenon Arm For Mounting 2 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze



LL-CS-LPSSTA-3180-238-BZ


Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze






LL-CS-LPSSTA-4180-238-BZ

Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze




LL-CS-LPSSTA-3120-238-BZ

Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 120°, With 2-3/8" OD Round Pole Tenon Bronze






LL-CS-LPSSTA-390-238-BZ




Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 90°, With 2-3/8" OD Round Pole Tenon Bronze






LL-CS-LPSSTA-490-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 90°, With 2-3/8" OD Round Pole Tenon Bronze
	 Technical drawing of the Contractor Select Low Profile Square Steel Tenon Arm (LL-CS-LPSSTA-490-238-BZ) showing dimensions in inches and millimeters. The arm is square-shaped with four mounting ports. Dimensions include: overall width 24.4" (620mm), overall height 20" (510mm), mounting port diameter Ø2.38" (60mm), mounting port length 4" (100mm), mounting port offset 4.72" (120mm), mounting port offset 1.18" (30mm), mounting port offset 4-M8 1.57" (40mm), and mounting port offset 4" (100mm).
LL-CS-LPRSTA-2180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze
	 Technical drawing of the Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" (LL-CS-LPRSTA-2180-238-BZ) showing dimensions in inches and millimeters. The arm is U-shaped with two mounting ports. Dimensions include: overall width 10.23" (260mm), overall height 9.6" (244mm), mounting port diameter Ø2.36" (60mm), mounting port length 4.4" (112mm), mounting port offset 2.6" (66mm), mounting port offset Ø2.67" (68mm), and mounting port offset Ø3" (76mm).
LL-CS-LPRSTA-3180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze
	 Technical drawing of the Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" (LL-CS-LPRSTA-3180-238-BZ) showing dimensions in inches and millimeters. The arm is U-shaped with three mounting ports. Dimensions include: overall width 21.5" (546mm), overall height 14.03" (356.37mm), mounting port diameter Ø2.38" (60mm), mounting port length 5.67" (144mm), mounting port offset R120.65mm, mounting port offset Ø2.67" (68mm), mounting port offset Ø3" (76mm), and mounting port offset 4.97" (126mm).
LL-CS-LPRSTA-4180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze




	
LL-CS-LPRSTA-3120-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 120°, With 2-3/8" OD Round Pole Tenon Bronze
	
LL-CS-LPRSTA-490-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 90°, With 2-3/8" OD Round Pole Tenon Bronze
	
LL-CS-LPRSTA-H-2180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" Horizontal For Mounting 2 @ 180°, With 2-3/8" OD Round Pole Tenon Bronze





LL-CS-LPRSTA-2180-WM-BZ

Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, Wall Mount. Bronze



LL-CS-LPRSTA-WM-BZ

Contractor Select Low Profile Round Steel Tenon Arm Wall Mount, Bronze





Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

Ordering Guide

Part #	Description
LL-CS-LPSSTA-2180-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPSSTA-3180-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPSSTA-4180-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPSSTA-3120-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPSSTA-390-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 90°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPSSTA-490-238-BZ	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 90°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-2180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-3180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-4180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-3120-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 120°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-490-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 90 Degrees, With 2 3/8" Od Round Pole Tenon Bronze
LL-CS-LPRSTA-H-2180-238-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" Horizontal For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Bronze
LL-CS-LPRSTA-2180-WM-BZ	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, Wall Mount Bronze
LL-CS-LPRSTA-WM-BZ	Contractor Select Low Profile Round Steel Tenon Arm Wall Mount Bronze
LL-CS-LPSSTA-2180-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPSSTA-3180-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPSSTA-4180-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPSSTA-3120-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 120°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPSSTA-390-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 90°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPSSTA-490-238-BK	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 90°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-2180-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-3180-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-4180-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-3120-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 120°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-490-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 90°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-H-2180-238-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" Horizontal For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon Black
LL-CS-LPRSTA-2180-WM-BK	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, Wall Mount Black
LL-CS-LPRSTA-WM-BK	Contractor Select Low Profile Round Steel Tenon Arm Wall Mount Black
LL-CS-LPSSTA-2180-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPSSTA-3180-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon White



LL-CS-LPSSTA-4180-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPSSTA-3120-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 120°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPSSTA-390-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 3 @ 90°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPSSTA-490-238-WH	Contractor Select Low Profile Square Steel Tenon Arm For Mounting 4 @ 90°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-2180-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-3180-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-4180-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-3120-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 3 @ 120°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-490-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 4 @ 90°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-H-2180-238-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" Horizontal For Mounting 2 @ 180°, With 2 3/8" OD Round Pole Tenon White
LL-CS-LPRSTA-2180-WM-WH	Contractor Select Low Profile Round Steel Tenon Arm "Bull Horn" For Mounting 2 @ 180°, Wall Mount White
LL-CS-LPRSTA-WM-WH	Contractor Select Low Profile Round Steel Tenon Arm Wall Mount White