



# Vanity Opal Series



## Description

The LITELUME™ Vanity Opal (LL-VO1, VO2 and VO3) features a die-formed cold rolled steel housing in satin nickel or oil rubbed bronze with an opal glass lens and secondary clear glass shade for an elegant soft appearance. Featuring 1, 2 or 3 x 9w bulbs in 3000k or 4000k, high power factor and low THD.

Applications: Hallways, Vanity lighting.

## Fixture Information

Size:	9W (1 x 9W Bulb) 18W (2 x 9W Bulb) 27W (3 X 9W Bulb)
Lamp Base:	E26
Housing:	Die-formed cold rolled steel
Finish:	Protective powder coat
Color:	Standard: Satin Nickel ( SN ) Optional: Oil Rubbed Bronze (ORB)
Mounting:	Standard: Wall Mount
Lens:	Opal Glass with secondary Clear Glass
CRI:	80
Power Factor:	.90
Voltage:	Standard: 120V
Warranty:	10-Year Limited Warranty

## Performance Data

### Lumen Output:

800 to 2400 lm

### Lumens Per Watt (typical):

89 lm/W

### CCT:

3000K

4000K

## Ratings & Certificates

UL/cUL Listed  
Damp Location Listed





### Dimension

Item	Width	Height	Depth
9W	5.00"	7.50"	6.00"
18W	13.50"	7.50"	6.00"
27W	22.00"	7.50"	6.00"





<b>Project Name</b>	
<b>Catalog #</b>	
<b>Job Type</b>	
<b>Prepared By</b>	
<b>Notes</b>	

### Fixture Ordering Information

Part #	Wattage	Lumens	Kelvin	Voltage	Color
LL-VO1-9-40-120-ORB	9	800	4000	120	Oil Rubbed Bronze
LL-VO1-9-40-120-SN	9	800	4000	120	Satin Nickel
LL-VO1-9-30-120-ORB	9	800	3000	120	Oil Rubbed Bronze
LL-VO1-9-30-120-SN	9	800	3000	120	Satin Nickel
LL-VO2-18-40-120-ORB	18	1600	4000	120	Oil Rubbed Bronze
LL-VO2-18-40-120-SN	18	1600	4000	120	Satin Nickel
LL-VO2-18-30-120-ORB	18	1600	3000	120	Oil Rubbed Bronze
LL-VO2-18-30-120-SN	18	1600	3000	120	Satin Nickel
LL-VO3-27-40-120-ORB	27	2400	4000	120	Oil Rubbed Bronze
LL-VO3-27-40-120-SN	27	2400	4000	120	Satin Nickel
LL-VO3-27-30-120-ORB	27	2400	3000	120	Oil Rubbed Bronze
LL-VO3-27-30-120-SN	27	2400	3000	120	Satin Nickel