



# 6" Recessed Integrated Module with Floating Gimbal



## LL-IFG6

### 6" Recessed Integrated Module with Floating Gimbal

The LITELUME™ LL-IFG6 Brings precision and versatility to your lighting project. This recessed, canless gimbal module combines a clean, modern look with powerful adjustability, 355° rotation and 90° tilt for perfect aiming every time. 5 CCT Field-selectable color temperatures 2700K–5000K ensures the right light for any application. Long lasting efficiency, flexibility, and style without the need for a housing or junction box.



#### PERFORMANCE DATA

Lumen Output	1200 lm
Lumens Per Watt (typical)	94 lm/W
CCT - Field Selectable	2700K 3000K 3500K 4000K 5000K
Lifespan	191,000 hrs

#### RATINGS & CERTIFICATES

Energy Star • FCC • IC Rated • cETLus Wet • Title 24 • JA8 • Interior / Exterior

#### APPLICATIONS

New Construction • Retrofit & Remodel

#### FIXTURE INFORMATION

Size	Housing	Finish	Optics	Trim	Beam Angle	Color	
11W	White Aluminum	Premium Powder Coat	PMMA Diffuser	Gimbal	120°	White	
Voltage	Dimming	Electrical	Adjustability	PF	THD	CRI	Warranty
120V	Triac Dimming @ 120V	1kV Surge Protection	355° Rotation and 90° Tilt	>.90	<20%	90	10 Year

Operating Temperature: -4°F to 113°F



# 6" Recessed Integrated Module with Floating Gimbal

## DIMENSIONS

	Length (in)	Width (in)	Height (in)	Weight (lbs)
	6.89	6.89	1.77	0.99
	Junction Box Size (in)			4.15 x 2.66 x 1.36

## LUMEN TABLES

Measurements	Lumens				
	2700K	3000K	3500K	4000K	5000K
Lumens	858	925	1,001	1,049	1,067
Watts	11.31	11.2	10.98	11.09	11.5
Efficacy	75.86	82.59	91.17	94.59	92.78

## ELECTRICAL DATA

CCT	Input Amps
	Lumens
	120V
2700K	0.09
3000K	0.09
3500K	0.09
4000K	0.09
5000K	0.10



# 6" Recessed Integrated Module with Floating Gimbal

PROJECT NAME	
CATALOG #	
JOB TYPE	
PREPARED BY	
NOTES	

## ORDERING GUIDE

Brand	Fixture Type	Lumen Package	CCT
LL LITELUME	IFG6 6" Round Recessed Integrated Module with Floating Gimbal	12L 1200 Lumens	5CCT 5 CCT Selectable

## FIXTURE ORDERING INFORMATION

Part #	Watts	Lumens	Kelvin	Voltage	Beam
LL-IFG6-12L-5CCT	11	1200	5 CCT	120	120 Degree

## COMPATIBLE DIMMERS AND CONTROLS

Manufacturer	Model Number		
Lutron	TG-600PR-WH	SLV-600P-AL	DVCL-153P
	S-600PR-WH	DV-600PR-WH	MSCL-OP153M
	CTCL-153PDH-WH	SCL-153PH-WH	PD-6WCL
	TGCL-153PH-LA	GT-600P	MACL-153M//MA-R
Leviton	6672	6674	IPL06
	RNL06	DSL06	-