




LL-WAE

Wrap Around Economy

The LITELUME™ LED Wrap Around Economy (LL-WAE) is a surface mounted luminaire designed for retrofit or new construction. Made of high quality ABS material, fully gasketed providing a dust-free and moisture-free enclosure. Featuring the latest in optical and LED technology providing an evenly pleasant illuminance. Featuring field adjustable 4 level lumen output and 5 color selectable CCT, allowing for customized energy savings and comfortability. Perfect for stairwells and many other low traffic applications.



PERFORMANCE DATA

Lumen Output	1500 - 5500 lm
Lumens Per Watt (typical)	120 lm/W
CCT	3000K 3500K 4000K 5000K 6500K
Lifespan	Features Ultra Efficient Driver with up to 100,000 running hours

RATINGS & CERTIFICATES

UL Listed • Damp Rated

APPLICATIONS

Offices • Hallways • Conference Rooms
Food Processing • Bathrooms • Stairwells

FIXTURE INFORMATION

Size	Housing	Lens	Color		Mounting	Length
12W - 46W	Premium Quality ABS, High Ignition Point	PMMA Acrylic	White		Wall, Ceiling, Surface	2ft & 4ft
Voltage	Dimming	Light Angle	CRI	PF	Driver Efficacy	Warranty
120-277V	0-10V Dimming 12Vdc Auxiliary	100°	80	.90	88%	10 Year


Operating Temperature: -40°F ~ 104°F



Wrap Around Economy


DIMENSIONS

2FT



Wattage	12W/16W/20W/25W
Net Weight	1.1KG(2.43lbs)
Box Dim.	25.39"x5.79"x2.52"(1pcs/CTN)


4FT




Wattage	24W/31W/38W/46W
Net Weight	2.0KG(4.41lbs)
Box Dim.	48.70"x5.79"x2.52"(1pcs/CTN)

PHOTOMETRICS

LL-WAE-2-3L-UNV-SCT-SP-WH (25W&4000K)



LL-WAE-4-5L-UNV-SCT-SP-WH (46W&4000K)





Wrap Around Economy

PROJECT NAME	
CATALOG #	
JOB TYPE	
PREPARED BY	
NOTES	

ORDERING GUIDE

Brand	Fixture Type	Size	Lumen Package
LL LITELUME	WAE Wrap Around Economy	2 2' 4 4'	3L 3000 Lumens 5L 5500 Lumens
Voltage	CCT	Power	Color
UNV 120-277V	SCT Selectable Color Temperature	SP Selectable Power	WH White

Accessories

ANT-15P Sharkward 10-14V DC 0-10V PIR Motion Sensor
RC-100 Remote Control 100
ANT-15P-BLE-GE Homewell GEBC 10-14V DC 0-10V PIR Motion Sensor
ANT-15P-BLE-SR Silvair 10-14V DC 0-10V PIR Motion Sensor
EM4 Emergency Battery Back Up, 4W, 90 Minutes

FIXTURE ORDERING INFORMATION

Part #	Watts	Lumens	Kelvin	Voltage
LL-WAE-2-3L-UNV-SCT-SP-WH	12W / 16W / 20W / 25W	1500/2000/2500/3000	5 CCT	120-277
LL-WAE-4-5L-UNV-SCT-SP-WH	24W / 31W / 38W / 46W	3000/3800/4500/5500	5 CCT	120-277V



ACCESSORIES ORDERING INFORMATION

Part #	Description
ANT-15P	Sharkward 10-14V DC 0-10V PIR Motion Sensor
RC-100	Remote Control 100
ANT-15P-BLE-GE	Homewell GEBC 10-14V DC 0-10V PIR Motion Sensor
ANT-15P-BLE-SR	Silvair 10-14V DC 0-10V PIR Motion Sensor
EM4	Emergency Battery Back Up, 4W, 90 Minutes