











## **Description**

The LITELUME™ LED High Bay Round UFO (HBRU) is an industrial luminaire constructed with a IP65 rated one piece die cast housing suitable for both indoor and outdoor applications. Featuring multiple distribution options making this fixture ideal for all high bay applications.

#### **Fixture Information**

Size: 135W/175W/200W
Housing: Sealed Die-casting
Finish: Protective powdercoat
Color: Standard: Bronze(BZ)

Custom Options: Black (BK)

White (WH)

Mounting: Hook Mount Optional Pendant

mount

Power Cord: Standard: 1', 6" So Cord, 300V, 18

Gauge, 3 Conductor Optional: See accessories

Lens: Glass

Surge Protector: Optional: 10 kVA
Operating temperature -40° F to 131° F

Power factor .95 CRI: 80

Voltage: Standard: 120-277V

Custom Option: 347-480V

Warranty: 10-Year Limited Warranty

#### **Performance Data**

**Lumen Output:** 

19,206 to 29,700 lm

Lumens Per Watt (typical):

142 to 149 lm/W

**CCT:** 4000K 5000K

Distribution

120°

Lifespan:

Up to 100,000 running hours

Ratings & Certificates

UL Listed For Wet Location IP65 rated





## **QuickShip Ordering Information**

Part #	Part #	
LL-HBRU-135-50-UNV-BZ	LL-HBRU-175-50-480-BZ	
LL-HBRU-135-50-480-BZ	LL-HBRU-200-50-UNV-BZ	
LL-HBRU-135-40-UNV-BZ	LL-HBRU-200-50-480-BZ	
LL-HBRU-175-50-UNV-BZ	LL-HBRU-200-40-UNV-BZ	




#### **Dimension**

Item	Diameter	Height
HBRU (with Hook)	15.35"	8.45"
HBRU (w/o Hook)	15.35"	5.74"
HBRU (with Hook) Emergency	15.35"	14.19"
HBRU (w/o Hook) Emergency	15.35"	11.48"
HBRU (with Hook) Motion Sensor	15.35"	9.16"
HBRU (w/o Hook) Motion Sensor	15.35"	6.45"
HBRU (with Hook) Motion Sensor/Emergency	15.35"	14.90"
HBRU (w/o Hook) Motion Sensor/Emergency	15.35"	12.19"
HBRU (with Hook) Reflector	19.53"	18.29"
HBRU (w/o Hook) Reflector	19.53"	15.58"
HBRU (with Hook) Emergency/Reflector	19.53"	24.03"
HBRU (w/o Hook) Emergency/Reflector	19.53"	21.32"


#### **No Reflector**

# 8.45"


#### No Reflector w/ Emergency




No Reflector w/ Sensor




No Reflector w/ Emergency and Sensor



#### Reflector



Reflector w/ Emergency




Page 2/5




#### **Photometrics**

#### Standard 120 Degree Beam Luminous Intensity Distribution Curve









## **Reflectors**







HBRU with Aluminum Reflector

### Accessories



Emergency Battery Back Up Kit



HBRU with Emergency & Motion Sensor



Project Name	
Catalog #	
Job Type	
Prepared By	
Notes	

# **Fixture Ordering Information**

Part #	Wattage	Lumens	Kelvin	Voltage	Type Distribution	DLC Listed
LL-HBRU-135-50-UNV-BZ	135	19800	5000	120-277	120	Yes
LL-HBRU-135-40-UNV-BZ	135	19206	4000	120-277	120	Yes
LL-HBRU-175-50-UNV-BZ	175	25600	5000	120-277	120	No
LL-HBRU-175-40-UNV-BZ	175	24832	4000	120-277	120	No
LL-HBRU-200-50-UNV-BZ	200	29700	5000	120-277	120	No
LL-HBRU-200-40-UNV-BZ	200	28809	4000	120-277	120	No

<sup>\*</sup>Not all product variations listed on this page are DLC qualified. Visit www.designlights.org/search to confirm qualification

# **QuickShip Ordering Information**

Part #
LL-HBRU-135-50-UNV-BZ
LL-HBRU-135-50-480-BZ
LL-HBRU-135-40-UNV-BZ
LL-HBRU-175-50-UNV-BZ
LL-HBRU-175-50-480-BZ
LL-HBRU-200-50-UNV-BZ
LL-HBRU-200-50-480-BZ
LL-HBRU-200-40-UNV-BZ

## Accessories Ordering Information

Part #	Wattage
MS20	Bi-Level PIR Motion Sensor 20
AL16	Aluminum Reflector 16"
AC16	Acrylic Refractor 16"
ACFR16	Acrylic Frosted Refractor 16"
SSCB16	Stainless Steel Clamp Band 16"
ACDL16	Acrylic Conical Drop Lens 16"
ACDLFR16	Acrylic Conical Drop Lens Frosted 16"
SUB "UNV" WITH "480"	480 Volt
CORD6BK183	6' So Cord, Black, 300V, 18 Gauge, 3 Conductor
CORD6BK185	6' So Cord, Black, 300V, 18 Gauge, 5 Conductor
CORD6BK600183	6' So Cord, Black, 600V, 18 Gauge, 3 Conductor
CORD6BK600185	6' So Cord, Black, 600V, 18 Gauge, 3 Conductor
5-15P	NEMA 5-15P Plug, 15 Amp, 125V
L5-15P	NEMA Twist Lock L5-15P Plug, 15 Amp, 125V
L7-15P	NEMA Twist Lock L7-15P Plug, 15 Amp, 125V
L7-20P	NEMA Twist Lock L7-20P Plug, 20 Amp, 277V
L8-20P	NEMA Twist Lock L8-20P Plug, 20 Amp, 480V
L8-30P	NEMA Twist Lock L8-30P Plug, 30 Amp, 480V



EN MICITAL DE		
LEMKIT16BZ		
	I Emergency Battery Back Up Nit Tovy Bronze	

\* Please contact LITELUME for all Custom Option Requests

# **Buy American Act Compliant Ordering Information**

Part #	Description
BAA-HBRU	Buy American Act Compliant for High Bay Round UFO

<sup>\*</sup> Please contact LITELUME for all Custom Option Requests